

CLAIMS

Sub
A1
1. An electrochemical cell, which comprises
as at least part of an anode, a lithium transition metal
oxide or sulphide compound which has a $[B_2]X_4^n$ spinel-type
5 framework structure of an $A[B_2]X_4$ spinel wherein A and B are metal
cations selected from Li, Ti, V, Mn, Fe and Co, X is oxygen (O)
or sulphur (S), and n- refers to the overall charge of the
structural unit $[B_2]X_4$ of the framework structure, and the
10 transition metal cation of which in its fully discharged state
has a mean oxidation state greater than +3 for Ti, +3 for V, +3,5
for Mn, +2 for Fe and +2 for Co;

as at least part of a cathode, a lithium metal oxide or
sulphide compound; and

15 an electrically insulative lithium containing liquid or
polymeric electronically conductive electrolyte between the anode
and the cathode, such that, on discharging the cell, lithium ions
are extracted from the spinel-type framework structure of the
anode, with the oxidation state of the metal ions of the anode
thereby increasing, while a concomitant insertion of lithium ions
20 into the compound of the cathode takes place, with the oxidation
state of the metal ions of the cathode decreasing
correspondingly.

2. A cell according to Claim 1, wherein the compounds of
the anode and the cathode are lithium metal oxide compounds.

sub
aa } 3. A cell according to Claim 1 wherein, in the compound of the anode, B is a single transition metal cation type.

4. A cell according to Claim 1 wherein, in the compound of the anode, B is a mixture of different transition metal cations.

sub
a3 } 5. A cell according to Claim 1, wherein the compound of the anode is a stoichiometric spinel selected from the group comprising $\text{Li}_4\text{Mn}_5\text{O}_{12}$, which can be written as $(\text{Li})_{8a}[\text{Li}_{0,33}\text{Mn}_{1,67}]_{16d}\text{O}_4$ in ideal spinel notation; $\text{Li}_4\text{Ti}_5\text{O}_{12}$, which can be written as $(\text{Li})_{8a}[\text{Li}_{0,33}\text{Ti}_{1,67}]_{16d}\text{O}_4$ in ideal spinel notation; LiTi_2O_4 which can be written as $(\text{Li})_{8a}[\text{Ti}_2]_{16d}\text{O}_4$ in ideal spinel notation; LiV_2O_4 , which can be written as $(\text{Li})_{8a}[\text{V}_2]_{16d}\text{O}_4$ in ideal spinel notation; and LiFe_3O_8 , which can be written as $(\text{Fe})_{8a}[\text{Fe}_{1,5}\text{Li}_{0,5}]_{16d}\text{O}_4$ in ideal spinel notation.

15 6. A cell according to Claim 1, wherein the compound of the anode is a defect spinel selected from the group comprising $\text{Li}_2\text{Mn}_4\text{O}_9$, which can be written as $(\text{Li}_{0,89}\text{---}0,11)_{8a}[\text{Mn}_{1,78}\text{---}0,22]_{16d}\text{O}_4$ in spinel notation; and $\text{Li}_2\text{Ti}_3\text{O}_7$, which can be written as $(\text{Li}_{0,85}\text{---}0,15)_{8a}[\text{Ti}_{1,71}\text{Li}_{0,29}]_{16d}\text{O}_4$ in spinel notation.

20 7. A cell according to Claim 1, wherein the compound of the anode is a lithium-iron-titanium oxide having a spinel-type structure and in which lithium and iron cations are located on the A-sites, and lithium, iron and titanium cations on the B-sites.

Sub
03
8. A cell according to Claim 1 wherein, in the compound of the anode, the $[B_2]X_4$ framework structure contains, within the framework structure or within the interstitial spaces of the framework structure, additional metal cations to the lithium ions and the A and B cations to stabilize the structure, with the additional metal cations being present in an amount less than 10 atomic percent.

9. A cell according to Claim 1, wherein the lithium metal oxide compound of the cathode also has a spinel-type framework structure.

Sub
A4
10. A cell according to Claim 9, wherein the framework structure of the lithium metal oxide compound of the cathode has as its basic structural unit, a unit of the formula $[B_2]X_4^n$, where $[B_2]X_4^n$ is the structural unit of an $A[B_2]X_4$ spinel, with the X anions being arranged to form a negatively charged anion array, and wherein

A is a lithium cation;

B is a metal cation;

X is oxygen (O); and

20 n- refers to the overall charge of the structural unit $[B_2]X_4$ of the framework structure, with the transition metal cations of the anode being more electropositive than those of the cathode.

11. A cell according to Claim 10 wherein, in the compound of the cathode, B is a single metal cation type.

12. A cell according to Claim 10 wherein, in the compound of the cathode, B is a mixture of different metal cations.

SubBAS 13. A cell according to Claim 10, wherein the compound of the cathode is a spinel in which the B cation is selected from the group comprising Li, Mn, Co and Ni.

14. A cell according to Claim 10 wherein, in the compound of the cathode, the $[B_2]X_4$ framework structure contains, within the framework structure or within the interstitial spaces of the framework structure, additional metal cations to the lithium ions and the A and B cations to stabilize the structure, with the additional metal cations being present in an amount less than 10 atomic percent.

15. A cell according to claim 14, wherein the compound of the cathode is $Li_{1+\delta}Mn_{2-\delta}O_4$ where $0 < \delta \leq 0.1$.

16. A cell according to Claim 14, wherein the compound of the cathode is $LiM_{\frac{\delta}{2}}Mn_{2-\delta}O_4$ where $M=Mg$ or Zn and $0 < \delta \leq 0.05$.

17. A cell according to Claim 1, wherein the lithium metal oxide compound of the cathode has a layered-type structure conforming to the formula $Li_xCo_{1-y}Ni_yO_2$ where $0 < x \leq 1$ and $0 \leq y \leq 1$.

18. A cell according to Claim 1, wherein the anode compound offers a relatively low voltage of 3V or less against pure

15AS / lithium, while the cathode compound offers a relatively high voltage of between 3V and 4.5V against pure lithium.

19. A cell according to Claim 1, wherein the electrolyte is a room temperature electrolyte selected from the group comprising LiClO_4 , LiBF_4 , and LiPF_6 dissolved in an organic salt selected from the group comprising propylene carbonate, ethylene carbonate, dimethyl carbonate, dimethoxyethane and appropriate mixtures thereof.

20. A cell according to Claim 1, wherein the electrolyte is a polymeric electrolyte selected from the group comprising polyethylene oxide (PEO) - LiClO_4 , PEO - LiSO_3CF_3 and PEO - $\text{LiN}(\text{CF}_3\text{SO}_2)_2$.